MCQ's for Workshop I

1. Which of the following is incorrect?
A Cade 1949 Lithium
B Janssen 1958 haloperidol
C Meduna 1931 Reserpine
D Kane 1988 Clozapine
E Kuhn 1958 imipramine
2. Which of the following has low bioavailability (<50%):
A Imipramine
B Fluphenazine
C Clozapine
D Amisulpiride
E All of the above
3. Which of the following structures is not protected by the blood brain barrier?
3. Which of the following structures is not protected by the blood brain barrier? A Lateral geniculate nucleus
A Lateral geniculate nucleus
A Lateral geniculate nucleus B Insula
A Lateral geniculate nucleus B Insula C Posterior pituitary
A Lateral geniculate nucleus B Insula C Posterior pituitary D Temporal pole
A Lateral geniculate nucleus B Insula C Posterior pituitary D Temporal pole
A Lateral geniculate nucleus B Insula C Posterior pituitary D Temporal pole E Caudate nucleus 4. 1000mg of a drug is given to a 50kg patient. The current plasma concentration is 10mg/L. The volume of
A Lateral geniculate nucleus B Insula C Posterior pituitary D Temporal pole E Caudate nucleus 4. 1000mg of a drug is given to a 50kg patient. The current plasma concentration is 10mg/L. The volume of distribution is:
A Lateral geniculate nucleus B Insula C Posterior pituitary D Temporal pole E Caudate nucleus 4. 1000mg of a drug is given to a 50kg patient. The current plasma concentration is 10mg/L. The volume of distribution is: 2mg/L
A Lateral geniculate nucleus B Insula C Posterior pituitary D Temporal pole E Caudate nucleus 4. 1000mg of a drug is given to a 50kg patient. The current plasma concentration is 10mg/L. The volume of distribution is: 2mg/L 20mg/L
A Lateral geniculate nucleus B Insula C Posterior pituitary D Temporal pole E Caudate nucleus 4. 1000mg of a drug is given to a 50kg patient. The current plasma concentration is 10mg/L. The volume of distribution is: 2mg/L 20mg/L 200mg/L

5. Which of the following is a phase II metabolic reaction?
A Oxidation
B Methylation
C Reduction
D Hydrolysis
E Dephosphorylation
6. HGV driver wishes to take a sedative to aid sleep. There can be no morning grogginess. Which of the following is most suitable?
A Zopiclone
B Zaleplon
C Zolpidem
D Quetiapine
E Temazepam
7. The time taken for a drug to reach steady state:
2-3 half lives
3-4 half lives
4-5 half lives
5-6 half lives
6-7 half lives
8. Which ethnic group is prone to rapid 2D6 metabolism?
A East Asians
B North Africans
C Caucasians
D South Asians
E South American natives

9. Which of the following can increase clozapine levels
A Carbamazepine
B Smoking
C Mirtazepine
D Fluvoxamine
E Gabapentin
A Haloperidol
B Zuclopenthixol
C Zopiclone
D Risperidone
E Fluphenazine
F Dlazepam
G Quetiapine
H Chlorpromazine
Which of the above is a
10 Benzisoxathole
11 Butyrophenone
12 Phenothiazine
13 Piperazine
14 Thioxanthene
15 Cyclopyrrolone
16 Dibenzothiazepine
17. Which of the following is most likely to exacerbate acute angle glaucoma?
A Setraline
B Paroxetine

C Citalopram
D Fluvoxamine
E Escitalopram
18. A patient experiencing alcohol withdrawal requires treatment. Liver function tests suggest hepatic failure. Which of the following is most suitable?
A Diazepam
B Promethazine
C Lorazepam
D Zopiclone
E Nitrazepam
19. A patient experiencing relapse of psychosis requires treatment. Liver function tests suggest hepatic failure. Which of the following is most suitable?
A Quetiapine
B Olanzapine
C Amisulpiride
D Risperidone
E Clozapine
20. Mr Johnson takes Tranylcypromine. Which of the following does not need to be avoided?
A Red wine
B Cheddar cheese
C Grapefruit juice
D Pepperoni
E Marmite

21. Mrs Jones takes Lithium 800mg nocte. Her blood pressure is 168/100. Which medication is most suitable?
A Bendroflumethiazide
B Amiloride
C Valsartan
D Lisinopril
E Metolazone
22. Which of the following most commonly raises prolactin?
A Clozapine
B Risperidone
C Olanzapine
D Aripiprazole
E Quetiapine
A Reboxetine
B Duloxetine
C Phenelzine
D Amitryptiline
E Mirtazepine
F Mianserin
G Trazodone
H Escitalopram
I Agomelatine
J Nortryptiline
Which of the following is a :
23 Selective serotonin reuntake inhibitor

24 Tertiary amine
25 Noradrenaline and specific serotonin agonist?
26 Melatonin receptor agonist
27 Monoamine Oxidase inhibitor
28 Selective noradrenaline reuptake inhibitor
29 Secondary amine
30 Serotonin antagonist and reuptake inhibitor
31. Which of the following is a contra indication to phenelzine?
A Rheumatoid arthritis
B Addison's disease
C Phaeochromocytoma
D Diabetes insipidus
E Polycystic ovary syndrome
32. Which medication is least likely to affect QTc
A Clozapine
B Risperidone
C Olanzapine
D Aripiprazole
E Quetiapine
33. SSRI with least interactions
A Citalopram
B Fluoxetine
C Sertraline
D Paroxetine
E Mirtazepine

34. Which medication has the longest half life
A Nitrazepam
B Temazepam
C Alprazolam
D Venlafaxine
E Lorazepam
35. Which antidepressant is least likely to cause hyponatraemia
33. Which antidepressant is least likely to cause hypothatraethia
Mirtazepine
Mirtazepine
Mirtazepine Amitryptiline
Mirtazepine Amitryptiline Fluoxetine
Mirtazepine Amitryptiline Fluoxetine Agomelatine